




TEC=LED

2023 LED Aluminium Profiles



TEC=LED

TECLED'S range of aluminium LED housing extrusion profiles cater for all conceivable lighting installations and effects.

Our technical staff can advise and assist in selecting the appropriate fitting to suit your particular specifications and thus give effect to your creative vision.

If required, we provide site installation and supervision for all our solutions.

Our profiles are categorised according to their method of installation.


PROFILES SNAPSHOT

3 - 7




Suspended

8 - 12



Recessed

13 - 16




Surface

17 - 26




Plasterboard

27 - 29




Cove

30 - 33



Corner

34



Illuminated Handrail

35

TEC=LED

TecLed Pty Ltd





















Unit 4, 61 - 71 Beauchamp Road, Matraville NSW 2036


















Telephone: (02) 9317 4177 Facsimile: (02) 9317 3544

Email: sales@tecled.com.au


















www.tecled.com.au
















PROFILE SNAPSHOT

 <p>SP TUNNEL P. 8</p>	 <p>SP MINI PENDANT P.8</p>	 <p>SP SHEER P. 9</p>	 <p>SP LIFTUPDOWN P. 9</p>
 <p>SP ASYMBIG P. 10</p>	 <p>SP CORONA P. 10</p>	 <p>SP AURORA P. 10</p>	 <p>SP TOO40 P. 11</p>
 <p>SP TOO60 P. 11</p>	 <p>SP TOO100 P. 11</p>	 <p>SP SABRE P. 11</p>	 <p>SP BEEM P. 11</p>
 <p>SP 35X35 P. 11</p>	 <p>SP EAGLE P. 12</p>	 <p>SP FALCON P. 12</p>	 <p>SP PHOENIX P. 12</p>
 <p>SP KESTERL K P. 12</p>	 <p>SP KESTREL P P. 12</p>	 <p>SP OSPREY P. 12</p>	 <p>SP UP/DOWN P. 12</p>

 <p>RE ARCHILINE P. 13</p>	 <p>RE LINEOUT P. 13</p>	 <p>RE ASHIELD P. 14</p>	 <p>RE MINICOVER P. 14</p>
 <p>RE WASHER P. 15</p>	 <p>RE MICRO WINGED P. 15</p>	 <p>RE LUX XO P. 15</p>	 <p>RE LUX XOWINGS P. 15</p>
 <p>RE POWERLINE 20 P. 16</p>	 <p>RE POWERLINE 35 P. 16</p>	 <p>RE POWERLINE 50 P. 16</p>	 <p>RE POWERLINE 75 P. 16</p>
 <p>RE MICRO P. 16</p>	 <p>RE DEEP MICRO P. 16</p>	 <p>RE MACRO P. 16</p>	 <p>RE MICRORECESSED</p>
 <p>RE LEL16 P. 15</p>			

<p>SU CURVED SKIRT P. 17</p>	<p>SU FLAT SKIRT P. 17</p>	<p>SU CORVSKIRT P. 17</p>	<p>SU LINEUP P. 18</p>
<p>SU UPWASH P. 19</p>	<p>SU RAIL P. 19</p>	<p>SU RPLD P. 19</p>	<p>SU MINUPDOWN P. 20</p>
<p>SU RALEWASH P. 20</p>	<p>SU NINETY MEDIUM P. 21</p>	<p>SU NINETY SQUARE P. 21</p>	<p>SU ROUND CORNER P. 21</p>
<p>SU NINETY SEMI P. 21</p>	<p>SU UP LIGHT P. 22</p>	<p>SU ARC1 P. 22</p>	<p>SU ARC2 P. 22</p>
<p>PROLEN14</p>	<p>PROLEN14W</p>	<p>PROLEN22</p>	<p>SU COFFA P. 22</p>
<p>SU LEN1 P. 22</p>			

 <p>SU MIRROR LIGHT P. 23</p>	 <p>SU IN-WARDROBE P. 23</p>	 <p>SU BENDI P. 25</p>	 <p>SU STELLAR P. 25</p>
 <p>SU ASYML P. 26</p>	 <p>SU VASYML P. 26</p>		
 <p>PB MUSTANG P. 27</p>	 <p>PB SPITFIRE P. 27</p>	 <p>PB TYPHOON P. 27</p>	 <p>PB PLASTERCOVE P. 27</p>
 <p>PB NIMITZ P. 28</p>	 <p>PB HERCULES P. 28</p>	 <p>PB INTER P. 28</p>	 <p>PB EXOCET P. 28</p>
 <p>PB OFFSET P. 29</p>	 <p>PB MINISKOOP P. 29</p>	 <p>PB SKOOP P. 29</p>	


 <p>CV MICRO COVE P. 30</p>	 <p>CV MICRO COVE P. 30</p>		
 <p>CV COVE 1 P. 31</p>	 <p>CV ANGLECOVE1 P. 31</p>	 <p>CV COFEX P. 31</p>	 <p>CV LOWCOVE P. 31</p>
 <p>CV MARINER P. 32</p>	 <p>CV RAFTER P. 32</p>	 <p>CV KONTIKI P. 32</p>	 <p>CV PILMET P. 33</p>
 <p>CV HALOCOVE P. 33</p>	 <p>CV ASYMWASH P. 33</p>	 <p>IH ILLUMINATED HANDRAIL P. 35</p>	
 <p>CR OUTWSAH P. 34</p>	 <p>CR OUTWASHEX P. 34</p>		







SUSPENDED




TUNNEL
PROTUNNEL

LED aluminium profile, pmma opal or semi-clear matte diffuser.
14.4W p/m, 19.2W p/m
Mounting: Suspended










-  Black
-  White
-  Silver
-  Antique Brass
-  Light Brown Bronze
-  Satin Bronze




MINI PENDANT PROMINIPENDANT


LED aluminium profile, pmma opal or semi-clear matte diffuser.
2 x 14.4W or 2 x 19.2W (up and down) p/m
Mounting: Suspended



-  Black
-  White
-  Silver
-  Antique Brass
-  Light Brown Bronze
-  Satin Bronze




Hanging clips



All pendants available in:

Black • White • Silver • Antique Brass • Light Brown Bronze • Satin Bronze



IP40

SHEER PROSHEER

LED aluminium profile, pmma opal
or semi-clear matte diffuser.
9.6W p/m, 14.4W p/m
Mounting: Suspended

Accessories



End caps



Suspension kit





Straight connector



90° connector




90° inside connector




LIFTUPDOWN PROLIFTUPDOWN

LED aluminium profile,
pmma opal or semi-clear
matte diffuser.
2 x 14.4W / 2 x 19.2W p/m
Mounting: Suspended





PC diffuser



SUSPENDED

All pendants available in:

Black • White • Silver • Antique Brass • Light Brown Bronze • Satin Bronze



ASYMBIG PROASYMBIG

19.2W/22W p/m



Magnetic
end caps




VS Lens




Connectors



Blind cover



IP65
Available





CORONA PROCOR

LED aluminium profile, pmma opal or semi-clear
matte diffuser.


40W p/m.

Supplied with end caps

Mounting: Suspended, surface



IP40




AURORA PROAUR

LED aluminium profile, pmma opal or
semi-clear matte diffuser.

30W/40W p/m.

Supplied with end caps

Mounting: Suspended, surface





All pendants available in:

Black • White • Silver • Antique Brass • Light Brown Bronze • Satin Bronze




T00B40
PROT00B40

LED aluminium profile, round opal diffuser.
0.5 - 3m lengths
14.4W p/m. Supplied with end caps
Mounting: Suspended





T00B60
PROT00B60

LED aluminium profile, round opal diffuser.
0.5 - 3m lengths
19.2W p/m. Supplied with end caps
Mounting: Suspended





T00B100
PROT00B100

Circular profile with opal diffuser
0.5 - 3m lengths
19.2W p/m. Supplied with end caps
Mounting: Suspended





SABRE
PROSABRE

Circular opal diffuser with internal pentagon profile
0.5 - 3m lengths
5x5W p/m. Supplied with end caps
Mounting: Suspended




BEEM
PROBEEM

LED aluminium rectangular profile,
pmma opal or semi-clear matte diffuser.
Down: 40W p/m. Up: 10W p/m
Supplied with end caps
Mounting: Suspended



35X35
PRO35X35

LED aluminium rectangular profile,
pmma opal or semi-clear matte diffuser.
30W p/m
Supplied with end caps
Mounting: Suspended



SUSPENDED

All pendants available in:

Black • White • Silver • Antique Brass • Light Brown Bronze • Satin Bronze




EAGLE

PROEAGLES

LED Square aluminium profile,
Acrylic opal matte diffuser
30W p/m Commercial/Domestic

Mounting: Surface, Recessed, Suspended

Colours: Anodise, custom powdercoat



FALCON

PROFALCONS


Large LED aluminium profile.

Acrylic opal matte diffuser

19.2W p/m Commercial/domestic

Mounting: Suspended

Colours: Black, white, anodised



PHOENIX

PROPHOENIXS

Large LED aluminium profile.



Acrylic opal matte diffuser

40W p/m Commercial/domestic

Optional internal driver

Mounting: Suspended

Colours: Black, white, anodised




KESTREL

PROKESTREL K, PROKESTREL P

LED aluminium profile, acrylic opal
matte diffuser.

14.4W p/m Room lighting

Mounting: Suspended



Diffuser options

OSPREY


PROOSPREY

Medium LED aluminium profile.

Acrylic opal matte diffuser

30W p/m Commercial/domestic

Mounting: Suspended, Surface



UP/DOWN


PROUPD0115

Surface mount LED aluminium profile.

Light shines out of top and bottom


14.4W p/m(x2) Room lighting

Mounting: Surface, Suspended




Archiline

Archiline is a ceiling mounted, recessed wall washer casting precise light over a feature area. Available in lengths up to 2m, the Archiline module may be fitted to any cavity ceiling. The diffused LED strip light is critically angled to throw the beam against and down the nearest wall.



ARCHLINE PROARCHLINE

Recessed LED aluminium profile.
Acrylic opal matte diffuser
14.4W / 19.2W p/m
Mounting: Suspended, Surface





Typical recessed ceiling installation with spring bracket.
Cut out 38mm.
Recommend unit be installed maximum 200mm from wall

Archiline



LINEOUT PROLINEOUT


Recessed profile
Acrylic diffuser
9.6W / 14.4W p/m



End caps





Connectors




RECESSED




ASHIELD
PROASHIELD
LED aluminium profile.
Acrylic opal matte diffuser
9.6W p/m, 14.4W p/m
Mounting: Recessed





MINICOVER
PROMINICO
LED aluminium profile.
Acrylic opal matte diffuser
9.6W p/m, 14.4W p/m
Mounting: Recessed



IP40






WASHER
PROWASH
LED aluminium profile.
Acrylic opal matte diffuser
14.4W p/m
Mounting: Recessed



IP40



MICRO WINGED
PROMICRO
LED aluminium profile.
Acrylic opal matte diffuser
9.6W p/m
Mounting: Recessed




IP40

LUXXO
PROLUXXO

LUXXOWINGS
PROLUXXOWINGS


LED ceiling profile, pmma opal or clear diffuser.
Insert with or without wings
14.4W p/m.
Supplied with end caps
Stairs, kitchens, cabinet lighting
Mounting: Recessed or Surface (gluefix)
Extra long standard length of 2500mm




IP65
Available

LEL16
PROLEL16

LED slim aluminium profile, pmma opal or clear matte diffuser.
14.4W p/m
Supplied with mounting clips and end caps
Stairs, kitchens, cabinet lighting
Mounting: Recessed or Surface




RECESSED



IP65
Available

POWERLINE 20
PROP0W20


Small LED recessed aluminium profile, pmma opal or clear matte diffuser.
14.4W p/m. Supplied with mounting clips and end caps
Cabinet, wall lighting
Mounting: Recessed into joinery



IP65
Available

POWERLINE 35
PROP0W35


Recessed aluminium profile, pmma opal or clear matte diffuser.
30W p/m. Supplied with mounting clips and end caps
Recessed into ceilings, walls
Mounting: Recessed



IP65
Available

POWERLINE 50
PROP0W50


Recessed aluminium profile, pmma opal matte diffuser.
30W p/m. Supplied with mounting clips and end caps
Recessed into ceilings, walls
Mounting: Recessed



IP65
Available

POWERLINE 75
PROP0W75


Recessed aluminium profile, pmma opal matte diffuser.
30W p/m. Supplied with mounting clips and end caps
Recessed into ceilings, walls
Mounting: Recessed



IP40


MICRO
PROMICRO8X9

Ultra slim aluminium profile, pmma opal matte diffuser
9.6W or 14.4Wp/m.
Supplied with mounting clips and end caps
Wall or ceiling lighting
Mounting: Recessed or Surface



IP40


DEEP MICRO
PROMICROD



IP40

MACRO
PROMACRO



LED slim aluminium profile, pmma opal matte diffuser.
9.6W or 14.4Wp/m
Supplied with end caps
Wall or ceiling lighting
Mounting: Recessed or Surface







CURVED SKIRT
PROCURVEDSK
 LED aluminium profile.
 Acrylic opal matte diffuser
 9.6W p/m
 Mounting: Surface

IP40



RECESSED SKIRT
PRORECSKIRT
 LED aluminium profile.
 Acrylic opal matte
 diffuser 9.6W p/m
 Mounting: Surface

IP40



Internal
corner joiner





External
corner joiner





CORVSKIRT
PROCORVSK
 LED aluminium profile.
 Acrylic opal matte
 diffuser 9.6W p/m
 Mounting: Surface

IP20




Black White Anod aluminium






LINEUP
PROLINEUP

14.4W / 19.2W p/m




Set plaster



End caps





Connectors






UPWASH
PROUPWASH

19.2W / 22W p/m






End caps

Connectors




RAIL
PRORAIL
LED aluminium profile.
Acrylic opal matte diffuser
14.4W p/m, 19.2W p/m
Mounting: Surface



RPLD
PRORPLD

2 x 14.4W p/m
2 x 19.2W p/m



End caps

Mounting clips



Connector





MINUPDOWN
PROMINUPDOWN

14W/19W/22W p/m



End caps



Mounting clips





Connectors



RALEWASH
PRORALEWASH

19.2W / 22W p/m

● ● ● ●
Custom colours



End caps



Connectors






IP65
Available

NINETY MEDIUM
PROSTC001


LED square aluminium profile, pmma opal matte diffuser.
14.4W p/m. Supplied with mounting clips and end caps
Cabinets, wardrobes
Mounting: Surface



IP65
Available

NINETY SQUARE
PROSTC30X30SQ


LED square aluminium profile, pmma opal diffuser.
20W p/m. Supplied with mounting clips and end caps
Cornice lighting
Mounting: Surface



IP65
Available

ROUND CORNER
PROSTC002


LED corner aluminium profile, pmma opal or semi-clear matte diffuser.
14.4W p/m. Supplied with mounting clips and end caps
Cabinets, wardrobes
Mounting: Surface



IP65
Available

NINETY SEMI
PROSTC30X30RO

LED round aluminium profile, pmma opal or semi-clear matte diffuser.
20W p/m. Supplied with mounting clips and end caps
Cornice lighting
Mounting: Surface




SURFACE




UP LIGHT
PROUPL43S

LED square aluminium profile, pmma opal or clear matte diffuser.
30W p/m. Supplied with side rail and end caps
Wall or ceiling lighting
Mounting: Surface



SIDE LIGHT
PROSIDEL43D




LED square aluminium profile, pmma opal or clear matte diffuser. Up or down lighting.
30W p/m. Supplied with back rail and end caps
Ceiling lighting
Mounting: Surface



ARC1
PROARC1




ARC2
PROARC2

LED ceiling profile, pmma opal matte, clear or frosted diffuser
14.4W p/m. Supplied with mounting clips and end caps
General lighting
Mounting: Suspended or Surface






LEN1
PROLEN14, PROLEN22, PROLEN14W

LED slim aluminium profile, pmma opal or clear matte diffuser.
14.4W p/m, 20W p/m
Supplied with mounting clips and end caps
Stairs, kitchens, cabinet lighting
Mounting: Recessed or Surface



COFFA
PROCOFFA
14.4W p/m/19.2W p/m







MIRROR LIGHT PROMIRROR

LED square aluminium profile, pmma opal or clear matte diffuser.

20W p/m. Supplied with end caps

Diffused lighting ideal for mirror illumination.

Mounting: Surface, Suspended



IN-WARDROBE LED EXTRUSION PROWARD

LED slimline rounded aluminium profile.

Anodised or powder coated finish.

Pmma opal or semi-clear matte diffuser.


Dot-free illumination.

9.6W p/m. , 14.4W p/m.

Supplied with mounting end caps.

Sturdy profile for hanging garments.

Mounting: Surface



End mounting
bracket



Fixing clip



Midle bracket helps
support weight



28

BENDABLE, 'DOTLESS LED STRIP LIGHTING



FALCON






BENDABLE, 'DOTLESS LED STRIP LIGHTING

PROBENDI

FEATURES:


- High concentration of mini LED chips provide seam-free, 'dotless' illumination
- Supple aluminium profile allows for tight bends - down to 90mm radii
- Ultra slim aluminium profile allows installation to almost any space
- Simple installation and extendable length
- 9.6W p/m, 14.4W p/m,
- Available in lengths up to 2000mm
- Opal acrylic diffuser sheds soft, even lighting




**STELLAR
PROSTELLAR**
14.4W p/m, 19.2W p/m



Mounting Clip



Horizontal Installation



Vertical Installation




PMMA lens



Opal cover



Clear cover



Opal



Wall Grazer

SURFACE


STANDARD ASYMMETRICAL LENS EXTRUSION

PROASYML

19.2W p/m, 22W p/m

The Asymmetrical lens profile provides the perfect remedy for those attempting to achieve a more even light dispersion. Through manipulation of the traditional symmetrical beam, the Asymmetrical lens provides an ideal wall washing effect as it evenly grazes the entirety of the wall face.

IP40








VERSATILE ASYMMETRICAL LENS EXTRUSION


PROVASYML

14.4W p/m, 19.2W p/m


IP40



Opal



Wall Grazer




Our plasterboard range is designed for recessing into plasterboard linings with a set plaster topping to conceal all fixing wings. All supplied with PC diffused cover.


All supplied with end caps

Lengths up to 3000mm


IP40




MUSTANG
PROMUSTANG
9.6W p/m, 14.4W p/m




Installed in flat vertical or horizontal surface




IP40




SPITFIRE
PROSPITFIRE
14.4W p/m, 19.2W p/m




Installed in flat vertical or horizontal surface





IP40



TYPHOON
PROTYPHOON
9.6W p/m, 14.4W p/m




Installed in flat vertical or horizontal surface



PLASTERCOVE
PROPLASTERCOVE


19.2W / 22W p/m




End caps




Connectors




IP65




NIMITZ
PRONIMITZ
20W p/m, 30W p/m




Installed in flat vertical or horizontal surface




IP65




HERCULES
PROHERCULES
19.2W p/m




Installed in flat vertical or horizontal surface




IP40



INTER
PROINTER
9.6W p/m, 14.4W p/m




Installed in 90° internal corner




IP40




EXOCET
PROEXOCET
9.6W p/m, 14.4W p/m






Installed in 90° external corner








OFFSET
PROOFFSET
9.6W p/m, 14.4W p/m



● Black ○ White ● Anod aluminium





MINISKOPP
PROMINISKOPP
9.6W p/m, 14.4W p/m



○ White





SKOPP
PROSKOPP
9.6W p/m, 14.4W p/m








MICRO COVE-P
PROMICROCOVE-P
19.2W p/m



MICRO COVE
PROMICROCOVE
19.2W p/m







COVE1 PROCOVE1



LED round aluminium profile, pmma opal diffuser.
Recessed into ceiling and providing continous reflected illuminated cove
14.4W / 19.2W p/m
Mounting: Recessed
Colours: White, anodised

Mounting brackets supplied




ANGLECOVE1 PROANGLECOVE1

LED round aluminium profile, pmma opal diffuser.
Recessed into ceiling and providing continous reflected illuminated cove
14.4W / 19.2W p/m
Mounting: Recessed
Colours: White



COFFEX PROCOFFEX

Wall / coffer mounted providing diffused light via 10mm LED strip light
Lengths up to 4m and easily mitred to negotiate corners
14.4W / 19.2W p/m
Mounting: Surface
Colours: Custom colours available



LOWCOVE PROLOWCOVE



LED sunken aluminium profile, pmma opal diffuser.
Recessed into ceiling and providing continous set back illuminated cove
19.2W p/m
Mounting: Recessed
Colours: White, anodised

Spring clips supplied





IP40

MARINER
PROMARINER
14.4W p/m, 19.2W p/m



IP40

RAFTER
PRORAFTER
14.4W p/m, 19.2W p/m





Mounting Clip



IP40

KONTIKI
PROKONTIKI
14.4W p/m, 19.2W p/m





Mounting Clip



**PILMET
PROPILMET**

19.2W / 22W p/m




End caps



Connectors



IP40



**HALOCOVE
PROHALOCO**


LED round aluminium profile, pmma opal diffuser. Spring clips supplied
Recessed into ceiling and providing continous reflected illuminated cove
14.4W / 19.2W p/m

Mounting: Recessed
Colours: White, anodised

Spring clips supplied



**ASYMWASH
PROASYMWASH
(horizontal)**
19.2W/22W p/m



Magnetic end caps



Lens



Clip




Spring Clip




OUTWASH
PROOUTWASH

2 x 9.6W / 2 x 14.4W p/m




End caps





OUTWASHEX
PROOUTWASHEX
(horizontal or vertical)

2 x 14W p/m




End caps






Horizontal



Vertical



ALLYRAIL
2 x 9.6W/ 2 x 14.4W
p/m





Lighting design by **FPOV**

TEC=LED

TecLed Pty Ltd

Unit 4, 61 - 71 Beauchamp Road, Matraville NSW 2036

Telephone: (02) 9317 4177 Facsimile: (02) 9317 3544

Email: sales@tecled.com.au